

The effect of the...

S/123/62/000/012/002/010  
A004/A101

of deformation from 76.0 to 90% increases § at any Mn-content.

[Abstracter's note: Complete translation]

✓B

Card 2/2

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

GUBLEN, Yu.V.; SACHKIN, V.T.; KOPYTINA, M.Yu.; ROBIN, A.A.

Relation between hemoconcentration and the severity of burns in  
man. Pat. fiziol. i eksp. terap. 9 no.4:59-64 Jl-Ag '65.

(MIRA 18:9)

I. Voyenno-meditsinskaya ordena Lenina akademiya imeni S.M.  
Kirova, Leningrad.

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

KOFYTOVSKAYA, L. P.

"Study of the Effect of Ether Narcosis on an Anaphylactic Reaction."  
Canal Med Sci, Inst of Experimental Medicine, Acad Med Sci USSR,  
Leningrad, 1953. (RZhBiol, No 1, Sep 54)

SO: Sum 432, 29 Mar 55

Ioffe, V.I.; KOPYTOVSKAYA, L.P.

Detection of tissue antigens. Report No.1. Relationship between sensitizing and shock doses of antigen in anaphylaxis [with summary in English]. Biul.eksp.biol. i med. 44 no.7:82-84 Jl '57.

1. Iz otdela mikrobiologii (zav. - chlen-korrespondent AMN SSSR prof. V.I.Ioffe) Instituta eksperimental'noy meditsiny AMN SSSR, Leningrad.

(ALLERGY, experimental,  
shock & sensitizing doses of antigen in anaphylaxis  
(Rus))

Published by HODDER & STOUGHTON, LTD., 1929  
Drs. L. M. & G. S. POPPENHAGEN of Portage la  
Prarie, Manitoba, and elsewhere. In U.P. Canadiana,  
Serial No. 1.

The earliest stage of migration on the American prairie was  
that of the Red-tailed and Ring-necked Pigeons, followed by  
the Common and Mourning Doves, and, finally, the  
Pigeon Hawk and the Sharp-shinned Hawk.

**V. B. Rukavina** Challenged Reactins of Systemic Electrolyte Imbalance in Patients w/ Pernicious Anemia: Immunologic effectiveness of pernicious anemia reactins (see above for page 20); Indices of immunity in patients maintained with pernicious and pernicious-alphabeta- $\beta$ -D-glutamate 116

**A. A. Shmelev et al.** (Chair Inst. of Systemic Electrolyte Imbalance in children) Immunochemical reactions of antibodies in children associated with pernicious anemia 122

**D. V. Poltsev et al.** (Chair Inst. of Endocrinology and Environmental conditions) Effect of soluble antigen on the pernicious anemia index 128

**N. N. Slobodcikov et al.** (see above and last, of Anticancer structures of the Academy of Bulgarian Mssns.) Methods for preparation and experimental study of the fundamental biological properties of the pernicious anemia antigen 134

**I. V. Gurevich** (Chair Inst. of Biogeo- Biol. of the Acad. of Med. Sciences) Effect of intercellular communication on the course of malignant diseases 138

**F. V. Gulyamov** (see directly above Biogeochemistry p. 135 etc.). Comparative immunological characteristics of the endocrine system of the pernicious anemia and of the chronic form of hemochromatosis 142

**S. A. Anatolyev** (see Inst. of Biogeo- The field and generalization of pernicious anemia on various areas 148

**V. I. Salkin** (see Inst. of Biogeo- the specificity and general principles of the pathology of infection with respect to pernicious anemia 171

Ioffe, V.I.; KOPYTOVSKAYA, L.P.

Detection of tissue antigens. Report No.2: Conditions for detecting components of antigenic mixtures through anaphylactic reactions [with summary in English]. Biul.eksp.biol. i med. 45 no.1:74-78 Ja '58. (MIRA 11:4)

1. Iz otdela mikrobiologii (zav. - chlen-korrespondent AMN SSSR V.I. Ioffe) Instituta eksperimental'noy meditsiny (dir. - chlen-korrespondent AMN SSSR D.A.Biryukov) AMN SSSR. Leningrad.  
(ALLERGY, experimental, detection of antigenic mixtures after anaphylactic reactions (Rus))

IOFFE, V.I., ANATOLIY, S.A., KOPYTOVSKAYA, L.P.

Problem of the detection of tissue antigens. Report No.3:  
Comparison of the sensitivity of anaphylaxis and serological reaction  
in the detection of small doses of antigens [with summary in  
English]. Biul.eksp.biol. i med. 45 no.3:80-85 Mr'58 (MIRA 11:5)

1. Iz otdela mikrobiologii (zav. - chlen-korrespondent AMN SSSR  
V.I. Ioffe) Instituta eksperimental'noy meditsiny (dir. - chlen-  
k respondent AMN SSSR D.A. Biryukov) AMN SSSR, Leningrad.

(ANTIGENS,  
detection, comparison of serol. & anaphylactic  
reactions (Rus))

KOPYTOVSKAYA, L. P.

"On the sensitizing effect of various pertussis vaccines and  
various antigenic components of *B. Pertussis*.

Report submitted to the 13th All-Union Congress of Hygienists,  
Epidemiologists and Infectionists. 1959

ROZENTAL', K.M.; KOPYTOVSKAYA, L.P.

A study of the etiology of measles. Report No.1: Isolation of the measles virus by direct inoculation of a chick embryo. Vop.virus. 6 no.5:572-577 S-0 '60. (MIRA 14:7)

1. Otdel mikrobiologii Instituta eksperimental'noy meditsiny AMN SSSR,  
Leningrad.  
(MEASLES)

IOFFE, V.I.; KOPYTOVSKAYA, L.P.

Role of the hypophysial-adrenal system in immunological and  
infectious processes. Vest.AMN SSSR 17 no.5:24-29 '62.

(PITUITARY BODY) (ADRENAL GLANDS) (INFECTION) (IMMUNITY) (MIRA 15:10)

VOTINOV, M.P.; SUBBOTIN, S.A.; SAMOLETOVA, V.V.; KOPYTOVSKAYA, S.P.; KUVSHINSKIY,  
Ye.V.

Investigating the crystallizability of "SKI" vulcanized rubber by the  
method of adiabatic stretching. Vysokom.sosed. 1 no.7:1016-1020 J1 '59.  
(MIRA 12:11)  
1. Vsesoyuznyy nauchno-issledovatel'skiy institut sinteticheskogo  
kauchuka.

(Rubber, Synthetic)

KAL'FUS, M.; KOPYTOVSKI, Ye.; SKUPINSKA, Z.; LESNYAK, S.

Molecular weight distribution and physicomechanical properties  
of butadiene-styrene rubbers. Vysokom. soed. 7 no.9:1655-1659  
S '65. (MIRA 18:10)

1. Osventsimskiy khimicheskiy kombinat, Pol'sha.

KOPYTOVSKIY, G.V.

Double protection of mercury rectifier devices. Elek. i tepl.  
tiaga. 4 no.6:18-19 Je '60. (MIRA 13:8)

1. Starshiy inzhener otdela lokomotivnogo khozyaystva,  
elektrifikatsii i energetiki Nizhnetagil'skogo otdeleniya  
Sverdlovskoy dorogi.  
(Electric railroads)  
(Electric current rectifiers)

MILYUTINSKAYA, R.I.; BAGDASAR'YAN, Kh.S.; KOPYTOVSKIY, Yu.

Studies of the radical reaction mechanism. Part 5: Decomposition  
of 4-nitrobenzoyl peroxide in toluene [with summary in English]  
Zhur.fiz.khim. 32 no.2:428-432 F '58. (MIRA 11:4)

I.Fiziko-khimicheskiy institut im. L.Ya. Karpova, Moskva.  
(Toluene) (Peroxide) (Tracers (Chemistry))

KOPYTOVSKIY, Yu.

AUTHORS: Milyutinskaya, R. I., Bagdasar'yan, Kh. S., 76-32-2-29/38  
Kopytovskiy, Yu.

TITLE: Investigation of the Mechanism of Radical Reactions  
(Issledovaniye mekhanizma radikal'nykh reaktsiy)  
V. Decay of 4-Nitrobenzoylperoxide in Toluene  
(V. Raspad perekisi 4-nitrobenzoila v toluole)

PERIODICAL: Zhurnal Fizicheskoy Khimii, 1958, Vol. 32, Nr 2, pp. 428-432  
(USSR).

ABSTRACT: Data were obtained in earlier works by the authors (reference 1) which prove the assumptions of reference 3 concerning the scheme of the formation of diphenyl in the decomposition of nitrobenzoylperoxide and its substituents in aromatic solvents according to (1) and (2). The radical occurring in (1) and (2) can in a special case also be a benzoate radical. The there obtained result agrees with the mechanism of the formation of nitrobenzoic acid (according to reactions (1) and (2), where X denotes a nitrobenzoate radical) from reaction (3). In this connection the following problem appaers: can a nitrobenzoate radical dissolve out a movable hydrogen from the alkyl group belonging to the arom-

Card 1/3

Investigation of the Mechanism of Radical Reactions  
V. Decay of 4-Nitrobenzoylperoxide in Toluene

76-32-2-29/38

matic ring? In order to solve this problem the authors investigated the decomposition of 4-nitrobenzoylperoxide in toluene partly deuterized in the methyl group, as well as in toluene partly deuterized in the ring. The results obtained showed without any doubt two ways for the formation of nitrobenzoic acid: the reaction (3) that is  $R = NO_2C_6H_4$ ,  $R_1 = CH_3$ , and the reaction (4). Data are given by means of which the share of nitrobenzoic acid obtained by reaction (4) as well as the kinetic isotopic effect in this reaction can be determined. The equations (5) and (6) for the deuterium content in nitrobenzoic acid (obtained in the toluene deuterized in the ring or the methyl group) are given. From these the equation (7) for the isotopic effect is obtained. The values calculated according to this equation are within the limits of from 1,79 to 2,17. The isotopic effect in the reaction of the dissolving out of hydrogen from the toluene by the  $NO_2C_6H_4COO$  radical (reaction (4)) is equal to 1,92. The share of the nitrobenzoate radicals which react according to reaction (3)-in the concentration of peroxide in the solution from 0,16 M and 100° - amounts to 0,365.

The work was discussed with S. S. Medvedev.

Card 2/3

Investigation of the Mechanism of Radical Reactions  
V. Decay of 4-Nitrobenzoylperoxide in Toluene

76-32-2-29/38

There are 1 table, and 7 references, 2 of which are **Soviet.**

ASSOCIATION: Physico-chemical Institute imeni L. Ya. Karpov, Moscow  
(Fiziko-khimicheskiy institut im. L. Ya. Karpova, Moskva)

SUBMITTED: December 12, 1956.

TOPIC: 1. Nitro compounds--Decomposition    2. Benzoyl peroxide--Decomposition  
          3. Toluene--Chemical reactions

Card 3/3

KOPYTOWSKA-DROZDZEWSKA, H.

KOPYTOWSKA-DROZDZEWSKA, H. Experiences of an industrial-safety expert. p. 18.  
Vol. 10, no. 12, Dec. 1956. OCHRONA PRACY: BEZPIECZENSTWO I HIGIENA PRACY.  
Warszawa, Poland.

SOURCE: East European Accessions List (EEAL) Vol. 6, No. 4--April 1957

KOPYTOWSKI, Czeslaw, mgr

Form and results of educational activities of the Lodz Branch  
of the Association of Polish Geodesists in additionally  
instructing technical cadres on the medium level. Przegl geod  
35 [i.e. 36] no. 3:111-112 Mr '64.

KOPYTOWSKI, Jerzy; KALFUS, Maurycy; SKUPINSKA, Zofia; LESNIAK, Stanislaw

Effect of the molecular weight distribution on certain properties of Ker S 3012 butadiene-styrene rubber and its vulcanizates. Polimery twor. wielk 10 no. 2: 55-59 F '65.

l. Chemical Works, Oswiecim. Submitted July 1, 1964.

38593  
S/081/62/000/010/077/085  
B166/B144

N.9201

AUTHORS: Kopytowski, Jerzy, Grzywa, Edward, Bylica, Bożena

TITLE: Some properties of KER S 3012 styrene-butadiene rubber

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 10, 1962, 655, abstract  
10P392 (Tworzywa wielkocząsteczkowe, v. 6, no. 6, 1961,  
178-182)

TEXT: The mastication process of KER S 3012 rubber is studied in order to select the optimum plasticity and rate of mastication and to find the optimum physico-mechanical properties of the rubber. The kinetics of heat softening depend on the initial plasticity. Mastication is quickest with a Defo plasticity of ~1400. After such rubber has been kept in store for 2-3 months the sheets stick together. Increasing the amount of talc used for powdering does not prevent this. The lower limit for absence of sticking is a Defo plasticity of 1800. When KER S 3012 is masticated it retains its elastic properties even with relatively low plasticity; but too severe mastication is not desirable and losses of elasticity increase when a product showing high initial plasticity is

Card 1/2

Card 2/2

KALFUS, Maurycy; KOPYTOWSKI, Jerzy; LESNIAK, Stanislaw; SKUPINSKA,  
Zofia

Determination of the molecular weight distribution of Ker  
S 3012 butadiene-styrene rubber. Polimery tworz wielk 9  
no. 2: 54-57 F '64.

1. Chemical Works, Oswiecim.

KOPYTOWSKI, Jerzy; MARCINIAK, Stanislaw

Certain properties of Ker-3012 rubber. Pt. 2. Polimery tworz  
wielk 8 no. 2:55-57 F '63.

l. Zaklady Chemiczne, Oświecim,

KOPYTSEV, M. S.

USSR;Engineering - Machine Tools

Card 1/1

Author : Kopytsev, M. S.  
Title : Drilling of Deep Eccentric Holes  
Periodical : Stan. i Instr. Ed. 1, 28-29, Jan/1954  
Abstract : The author of this article and V. F. Sevenkov, have designed an arrangement which permits the drilling of deep eccentric holes with standard type drills. The above arrangement is used on Turret lathes, and according to the author, it speeds up the drilling operation by 1½ to 2 times, as compared with the standard type Turret lathe. Table, drawings, illustration.  
Institution : .....,  
Submitted : .....

KOPYTSEV, M.S.  
USSR/Miscellaneous - Industrial Processes

Card 1/1

Author : Konytsev, M. S.

Title : Grinding a closed-surface of a cylinder section

Periodical : Stan. i Instr., No. 5, page 31, May 1954

Abstract : The grinding of a closed-surface of a cylinder section is normally carried out on a conventional internal grinder on which the machined element is fastened in a special device. The construction of such a device, which transforms the rotary motion of the lathe spindle into a pendulum motion of the object, is described. Drawings.

Institution : ...

Submitted : ...

KOPYTTSEV, N.S.

Durability of cast iron machinery parts; letter to the editor.  
Sel'khozmashina no.6:25-26 Je '57. (MLRA 10:7)

1. Glavnyy inzhener Sverdlovskoy mashinno-traktornoy stantsii,  
Kirevskoy oblasti.  
(Agricultural machinery)

Mathematical Reviews  
Vol. 14 No. 7  
July - August, 1953  
Mechanics.

Kondratenko, G. I. Two-dimensional impact on a slightly compressible ideal fluid. Akad. Nauk SSSR. Prikl. Mat. Meh. 16, 719-722 (1952). (Russian)

Un problème plan de choc intéressant un fluide parfait, peu compressible, est ramené, en première approximation, au problème aux limites suivantes. Dans la bande:  $0 \leq y \leq l$ ,  $-\infty \leq x \leq \infty$ , déterminer la solution  $\varphi(x, y, t)$  de l'équation  $a_0^2 \Delta \varphi - \partial^2 \varphi / \partial t^2 = 0$ , telle que (1)  $\partial \varphi / \partial x|_{t=0} = U$ ; (2)  $\partial \varphi / \partial y|_{y=0} = 0$  pour  $0 \leq t \leq \infty$ ,  $|x| > c$ ; (3)  $\partial \varphi / \partial y|_{y=l} = 0$  pour  $0 \leq t \leq \infty$ ,  $-\infty \leq x \leq \infty$ ; (4)  $\partial \varphi / \partial y|_{t=0} = f(x, t)$  pour  $t > 0$ ,  $|x| < c$ ;  $a_0$ ,  $U$ ,  $l$  sont des constantes données et  $f(x, t)$  est une fonction donnée. C'est ce problème que l'A. résout par une superposition d'un nombre fini de potentiels calculés sur ceux, utilisés par Falkovitch [cf. même journal 11, 171-176 (1947); ces Rev. 9, 343]. Un théorème d'unicité est énoncé; de même l'A. énonce des propriétés de la solution ( $\partial^2 \varphi / \partial t^2|_{t=0} = \infty$ ; discontinuité de  $\partial^2 \varphi / \partial y^2$ ). Les résultats généraux ci-dessus sont explicités dans le cas d'une source quasi-punctuelle de perturbation. J. Kravchenko.

ELH  
5/26/54

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

KOPZON, G. I.

Dissertation: "Vibration of Thin-Wall Elastic Bodies in a Gas Flow." Cand Phys-Math Sci, Leningrad State U, Leningrad, 1954. (Referativnyy Zhurnal--Mekhanika, Moscow, Aug 54)

SO: SUM 393, 28 Feb 1955

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

Kopzon, G. I.

JPF  
2-454C

✓ Kopzon, G. I. Harmonic oscillations of elastic plates in a  
hydrodynamic flow. <sup>26</sup> <sup>26</sup>

Journal of Applied Mathematics  
and Mathematical Physics  
Vol. 19, No. 1, p. 1-12  
1956

Characteristic frequencies. General series. Equations with  
undetermined coefficients. Numerical examples.

Математическое моделирование

и вычислительная техника

М. С. Абдескадаров и др.

М. С. Абдескадаров и др. М. И. Йо

$$W(x, t; t_0) = \sum_{n=1}^{\infty} e^{i\omega_n t} c_n(t_0)$$

100

М. С. Абдескадаров и др.

Then

$$(4) \quad [(d^2/dx^2 - 4\pi^2 n^2/b^2) - m_b]w_n(x) = m\Delta p(w_n),$$

where  $m_b$  is a constant multiple of  $b^2\omega_0^2$  and  $m$  is a small constant that depends on fluid density, velocity, plate dimensions, and elastic constants. Now let  $w_n(x) = \sum a_{ij} z_0(m) w_{ij}(m)(x)$  and  $\Delta p(w) = \sum b_{ij}(m) \Delta p(w_{ij}(m)(x))$ . The general solution  $w_n^{(in)}(x)$  of the homogeneous form of (4) corresponds to a plate vibrating in a vacuum and is easily found. Once  $w_n^{(in)}(x)$  is known,  $\Delta p(w)$ ,  $w_n(x)$  can be found, and then  $w_n^{(out)}(x)$  from (4). As usual, the

form of  $w_n^{(out)}(x)$  is  $w_n^{(out)}(x) = w_n^{(in)}(x) + w_n^{(sp)}(x)$ , where  $w_n^{(sp)}(x)$  is the particular solution.

KOPZON, G.I.

Z-12  
★ Kopzon, G. I. Vibration of thin-walled elastic bodies in  
free flow. Translated by M. S. Sosulin.  
California St., Newtonville 65, Mass. 02164.  
Translated from Dokl. Akad. Nauk SSSR, No.  
107 (1956), 217-220. The original Russian article was re-  
viewed in MR 18, 163.

1.F.W.  
A/B  
not

Kopzon G. I.

Kopzon, G. I. The vibration of thin-walled elastic bodies

599

$$x = \sum q_n \sin \omega_n t + R$$

The author calculates the drag coefficient for the drag due to the vibrations. He also proposes a method

10. The following table shows the number of hours worked by each employee.

*S*o, I am here.

*...and the last time I saw him he was sitting in a chair with his hands clasped in front of him.*

**APPROVED FOR RELEASE: 03/13/2001**

CIA-RDP86-00513R000824530002-7"

KOPZON, G. I.

Assume  $y = q(x)$  is a solution of the differential equation  $(D^2 + 2\alpha D + \beta^2)y = f(x)$ . If  $\beta > 0$  and  $f(x) \in C_0^\infty$ , then  $q_\beta(y)$  satisfies an integral equation of convolution type. As an example consider the equation  $(D^2 + 107 D + 120)y = f(x)$ . By means of Laplace transformation we get the equation  $(s^2 + 107s + 120)y = f(s)$ . The characteristic frequency  $\omega_c = \sqrt{107}$ . The Rayleigh-Ritz method is used.

AUTHOR  
TITLE

KOPZON, G.I.

PA - 2221

The Unsteady Motions of a Wing in a Supersonic Flow (Nestatsonarnyye dvizheniya kryla v sverkhsvukovom potokе).

PERIODICAL

Prikladnaia Matematika i Mekhanika, 1957, Vol 21, Nr 1, pp 136-141  
(U.S.S.R.)

ABSTRACT

Received 3/1957

Reviewed 4/1957

E.A.KRASIL'SHCHIKOVA studied the small harmonic oscillations of a thin wing in a supersonic flow and found the solutions of the problem of the general motion of a wing at conditions at which the assumptions usual in the case of linearization are permitted.

1) When applying LAPLACE transformations to a velocity potential of the form  $\phi(x, y, z, s) = s \int e^{-st} \psi(x, y, z, t) dt$  it is possible, in the general case, to investigate the boundary conditions on a wing with any dependence with respect to time. In this connection it applies that  $(\partial \phi / \partial y)_t > 0$  at  $S = v(x, z, t)$ . Here  $S$  denotes the surface of the wing; it is also possible to investigate boundary surfaces the motion of which depends essentially on the flow round them. Also the initial conditions are given. For the rest, the problem as it was set by E.A. KRASIL'SHCHIKOVA is maintained. The author here investigates a wing with ribs located at equal distances from one another, and the quantities which are of interest here are developed in FOURIER series. The author uses the aforementioned LAPLACE transformation and the results obtained by E.A.KRASIL'SHCHIKOVA. The resulting formula for the n-th term of the development into a FOURIER series (according to

Card 1/2

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

KOPZON, G.I. (Leningrad)

Vibration of a thin rectangular wing of high aspect ratio in  
a supersonic flow. Prikl.mat. i mekh. 22 no.6:810-814 M-D.  
'58. (MIRA 11:12)  
(Aerodynamics, Supersonic) (Airfoils--Vibration)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

KOPZON, I. I.

Medicine

Treatment of slow-healing wounds and chronic sores with an extract of naphthalene.  
Leningrad, 1945.

Monthly List of Russian Accessions. Library of Congress, September 1952. Unclassified.

KOPZON, I. I.

Kopzon, I. I. "The functional condition of the connective-tissue layer of the skin." In: D. S. Kasperin i klinich. issledovaniya (Leningr. kozhno-venerol. in-t), Vol. VII, 1949, p. 194-201, - Bibliog: p. 200-01.

SO: U-3736, 21 May 53, (Letopis 'Zhurnal 'nykh Statey, No. 17, 1949).

KOPZON, I.I., kandidat meditsinskikh nauk; ORLOVA, K.A., kandidat  
meditsinskikh nauk

Fixed sulfanilamide erythema of the mucous membrane of the oral  
cavity. Stomatologiya 35 no.1:56-57 Ja-F '56. (MLRA 9:6)

1. Iz Leningradskogo meditsinskogo stomatologicheskogo instituta  
(direktor professor R.I.Gavrilov)  
(MOUTH--DISEASES) (SULFANILAMIDE--TOXICOLOGY)

"APPROVED FOR RELEASE: 03/13/2001


CIA-RDP86-00513R000824530002-7

KORAB, G. V.

1929. Melotrichia donnige Karpovka for the 3 months before available.  
Tr. "Melotrichovskaya selektsionnyy stantsii, Tsv. II (2), str. 10-31.

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"



The effect of insecticides upon sugar-beet leaves. J. J. Korah and M. D. Zalkind. *Newab. Zoolobi Tadzhik. Prov.*, 16, No. 26, 65-62 (1933). Several insecticides were applied to sugar-beet leaves with the following results: NaP is 1.5% concn. does not affect the green tissue of a leaf, but 2% concn. burns the leaves. A 2% concn. of NaCl<sub>2</sub>H's is harmless. BaCl<sub>2</sub> in 5% soln. makes the leaf dry and yellow. NaHAsO<sub>4</sub> in concn. of 0.1% burns the leaf. The addition of different acids to NaHAsO<sub>4</sub> increases the harmfulness of this insecticide. V. R. Balkow

V. R. Raitow

—15—

卷之三

ABSTRACTS OF METALLURGICAL LITERATURE CLASSIFICATION

卷之三

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

KORAB, I.I. i BUTOVSKIY, A.P.

1939. Glaveyshiye itogi izucheniya sveklovichnoy nematody heterodera  
schachtii akmidt i metodov bor'by sney. Sbornik rabot po nematodam s.-kh.  
Rasteniy Vses..in-ta zashchity rasteniy VASKHNIL. L., Sel'khozgiz, str. 75-120.

KORAB, I. I. 101)-


Korab, Il I. and Futovskiy, A. P., "Principal results of study of last nematode (Heteroder  
a schachtii Schmidt) and of methods of its control." Sb. rabot po nematodam S-Kh  
rastenii pod rassad. E. S. Kir'yanova, Sel'khozgiz, 75-120.

SO: Collection of Works on Nematodes of Agricultural Plants, Ed. by M. I. Kir'yanova,  
Gosizdat. Kolkhoz i Sovkhoz Lit., 1939, Moscow-Leningrad N/5  
632.5  
.66

KCRAE, I. I., [REDACTED]

"The root-knot nematode and control measures against it." Ob'edin. Sosrilia Sektzii  
Zashchity rast. VASKhNIL i Otd. Biolog. i S-Kh. Nauch. AN AzSSR.

SC: Collection of Works on Nematodes of Agricultural Plants, Ed. by I. S. Kir'yanova,  
Gosizdat. Kolkhoz i Sovkhoz Lit., 1939, Moscow-Leningrad N/5  
632.5  
. 6



KORAB, I.I.

Measures for combating the sugar-beet nematode (*Heterodera schachtii* Schmidt). Trudy probler. i tem. soveshch. no.3:133-147 '54. (MIRA 8:5)

1. Belotserkovskiy sel'skokhozyaystvennyy institut.  
(Nematoda) (Sugar beets--Diseases and pests)

KORAB, I.I.; TERESHCHENKO, Ye.P.

System of measures for combating the potato tuber eelworm  
(*Ditylenchus destructor* Thorne, 1945) in grassland crop  
rotations of the forest-steppe and forested zones. Trudy  
probl. i tem.soveshch. no.3:208-218 '54. (MLRA 8:5)

1. Belotserkovskiy sel'skokhozyaystvennyy institut i  
Kiyevskaya sel'skokhozyaystvennaya optychnaya stantsiya v  
Nemeshayevye.  
(Potatoes--Diseases and pests) (Nematoda)

KORAB, I.I.; SKARBILOVICH, T.S.

Appendix 1: Recommendations for combating the sugar-beet nematode (*Heterodera schachtii* Schmidt, 1871). Trudy probl. i tem. soveshch. no.3:252-253 '54. (MLRA 8:5)

1. Belotserkovskiy sel'skokhozaystvennyy institut i Vsesoyuznyy Institut gel'mintologii im. akademika K.I.Skryabina. (Root knot) (Sugar beets--Diseases and pests)

ZHITKEVICH, Ye.N., starshiy nauchnyy sotrudnik; PETRUKHA, Ye.I., kand. biolog.nauk; POZHAR, Z.A., kand.sel'skokhoz.nauk; SHEVCHENKO, V.N., kand.sel'skokhoz.nauk; BUTOVSKIY, A.P., starshiy nauchnyy sotrudnik, spetsialist entomolog i fitopatolog; GROMAKOV, P.M., starshiy nauchnyy sotrudnik, spetsialist entomolog i fitopatolog [deceased]; MARKOV, F.I., kand.biolog.nauk, spetsialist entomolog i fitopatolog; PUCHKOV, V.G., kand.biolog.nauk, spetsialist entomolog i fitopatolog; PALIY, V.F., doktor biolog.nauk, spetsialist entomolog i fitopatolog; POLNOY, V.V., starshiy nauchnyy sotrudnik, spetsialist entomolog i fitopatolog; ZVEREZOMB-ZUBOVSKIY, Ye.V., prof., doktor sel'skokhoz.nauk; KORAB, I.L., prof., doktor sel'skokhoz.nauk; MOROCHKOVSKIY, S.P., prof., doktor biolog.nauk; MURAV'YEV, V.P.. prof.; SALUNSKAYA, N.I., kand.biolog.nauk; SAVCHENKO, Ye.N., red.; ZUBAREV, A.S., khudozh.-tekhn.red.

[Sugar beet growing] Svetkovodstvo. Izd.2., perer. i dop. Kiev, Gos.izd-vo sel'khoz.lit-ry.USSR. Vol.3. Pt.1. [Sugar beet pests and their control] Vrediteli sakharinoi svekly i mery bor'by s nimi. Pt.2. [Sugar beet diseases and their control] Bolezni sakharinoi svekly i mery bor'by s nimi. 1959. 642 p. (MIRA 12:11)

(Continued on next card)

ZHITKEVICH, Ye.N.---(continued) Card 2.

1. Kiyev. Vsesoyuznyy nauchno-issledovatel'skiy institut sakharney sverkly. 2. Vsesoyuznyy nauchno-issledovatel'skiy institut sakharney sverkly (for Zhitkevich, Petrukha, Poshar, Shavchenko). 3. Vladovo-Lyulinetskaya optychno-selektionsnaya stantsiya Vsesoyuznogo nauchno-issledovatel'skogo instituta sakharney sverkly (for Butovskiy). 4. Ivanovskaya optychno-selektts. stantsiya Vsesoyuznogo nauchno-issledov.instituta sakharney sverkly (for Gromakov). 5. Kurganskaya optychno-selektts. stantsiya Vsesoyuznogo nauchno-issledov.instituta sakharney sverkly (for Markov, Polevoy). 6. Veselopodolianskaya optychno-sel..stantsiya Vsesoyuznogo nauchno-issledov.instituta sakharney sverkly (for Puchkov). 7. Rammenskaya optychno-selektts. stantsiya Vsesoyuzn.nauchno-issledov.instituta sakharney sverkly (for Paliy). 8. Pervomayskaya optychno-selektts. stantsiya Vsesoyuznogo nauchno-issledov.instituta sakharney sverkly (for Shmeleva). 9. Chleny-korresp. AM USSR (for Zveresomb-Zubovskiy, Murav'yev).

(Sugar beets--Diseases and pests)

VANIS, Matej, inz.; KURAB, Otokar, inz.

Apparatus for accelerated differential thermal analysis in a controlled atmosphere. Chem zvesti 17 no.10/11:807-815 '63.

1. Katedra anorganickej technologie, Slovenska vysoka skola technicka, Bratislava, Kollarovo namesti 2.

KORAB, T.

CZECHOSLOVAKIA

Prom. geol.

Geological Institute D. Stur (Geologicky ustav D. Stura),  
Mlynska dolina 1, Bratislava

Bratislava, Geologicky Sbornik, No 2, 1962, pp 257-274

"Survey Study of Oriented Sedimentary Structures of  
East-Slovakian Flysch"

Co-authors:

NEMCOK, J., prom. geol., Geological Institute D. Stur,  
DURKOVIC, T., prom. geol., " "  
MARSHALKO, R., engr, "

KORAB, Tomas

Geology of the Smilno tectonic window. Geol prace 63:23-27 '62.

1. Geologicky ustav D.Stura, Bratislava.

NEMCOK, Jan, promovany geolog; KORAB, Tomas, promovany geolog

Contribution to the geology of Smilne tectonic window and  
adjacent part of the Magura Flysch. Geol. sbor. 14 no.1:  
209-215 '63.

I. Dionyz Stur Institute of Geology, Bratislava, Mlynska  
dolina 1.

Z/034/61/000/003/008/011  
E073/E535

AUTHOR: Korábek, J.

TITLE: Rolling Drum for Producing Ribs on Cylindrical Bodies,  
Particularly Tubes.  
Patent Application Class 7b, 16/01, PV 2151-60, dated  
March 31, 1960

PERIODICAL: Hutnické listy, 1961, No.3, p.209

TEXT: The corrugated, rib-forming pass whose cross-section is shown in Fig.3 consists of a series of projections of constant base thickness. The side faces of the projections near the entry end of the pass comprise two zones. Adjacent to the base are the sizing zones (1), inclined at an acute angle which is the same on each projection and equal to the angle of taper of the ribs, the compressing zones (2) adjacent to the tip of the projection being inclined at a less acute angle. With increasing distance from the entry end of the pass, the height of the projections and the length of the sizing zones increase and the tips of the projections become less pointed, until near the exit end of the pass the projections assume the shape (an annular with a trapeze cross-section) identical with that of the spaces between the ribs  
Card 172

S/137/62/000/010/010/028  
A052/A101

AUTHOR: Korábek, Jan

TITLE: Rolls for knurling ribs on rolled shapes, in particular on tubes

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 10, 1962, 36,  
abstract 10D224P (Czech. pat., no. 100275, July 15, 1961)

TEXT: A new system is proposed for the calibration of rolls for knurling ribs on rolled shapes, in particular, on soft steel or Al-plated steel tubes. Such shapes with outside ribs are widely applied in the production of heat-exchangers. The shape of ribs of knurling rolls changes over the length of the roll. In the inlet part the calibers have almost a triangular form (shaping part) with a very small calibrating part; with the increasing distance from the beginning of the knurling roll the height of the ribs increases and with it the calibrating part. At the same time the height of the shaping part of the calibers decreases. The second half of the knurling roll has no shaping calibers but just calibrating ones. The distance between the calibers is equal to that between the ribs on the future profile.

[Abstracter's note: Complete translation]

G. Mekhed

Card 1/1

The combined effect of radiation and catalysts. I. The effect of ultraviolet light on the catalytic activity of catalysts in the catalytic decomposition of hydrogen peroxide in water solutions. L. V. Dvorchekskii, R. K. Kuznetsov and R. S. Rukinskaya. *Bull. Acad. Nauk S.S.R., Classe sci. math. nat.*, 1950, 13(1-2), 55-61 (German translation).

was used. The effect was smaller for  $\text{PbO}_2$ , and still smaller or even neg. for smooth or slightly platinumed Pt. Some discussion of the theory is given S. Katzoff

CH


7

9

## 430.34 METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"



CH

6

**New compounds of platinum with aminosulfonic acid**  
V. V. Lebedinski and R. K. Koroljuk, *Izvest. Nauk. Plutony i Drug. Blagorod. Metal., Izd. Obshch. po Neorg. Khim., Akad. Nauk S.S.R.* (Ann. sovets. platinu, just. chim. gen.) No. 20, 99-100 (1947). K[Pt(NH<sub>2</sub>Cl)<sub>2</sub>] (0.7 g.) is dissolved in 10 ml. of H<sub>2</sub>O to which is added 0.303 g. of NH<sub>2</sub>SO<sub>3</sub>H. After approx. 10 days the mixt. is filtered and washed with cold H<sub>2</sub>O. The product is K[Pt(NH<sub>2</sub>SO<sub>3</sub>)Cl]<sub>2</sub>, mol. wt. 419.29. A mixt. of 2 g. of [Pt(NH<sub>2</sub>Cl)<sub>2</sub>], 1.2 g. of NH<sub>2</sub>SO<sub>3</sub>H, and 40 ml. of H<sub>2</sub>O is boiled. On evaporation to dryness and several recrystn. from hot H<sub>2</sub>O, colorless [Pt(NH<sub>2</sub>)<sub>2</sub>(NH<sub>2</sub>SO<sub>3</sub>)Cl], mol. wt. 300.81, seps. from the parent salt.  
M. Busch

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

GRANOVSKAYA, A. and KORABEL'NIK, R.

"Isomerism of the Salts of Kirmchen,"

Dok. AN, 57, No. 6, 1947

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

KORABEL'NIK, R. K., DOCENT

Cand Chem Sci

Dissertation: "Complex Compounds of Bivalent Platinum with Sulfaminic Acid." 9/10/50

Moscow Inst of Fine Chemical Technology imeni Lomonosov.

SO Vecheryaya Moskva  
Sum 71

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

Korabel'nik R.K.

USSR/Analytic Chemistry - Analysis of Inorganic Substances

G-2

Abs Jour : Ref Zhur - Khimiya, No 4, 1957, 12063

Author : Korabel'nik R.K.

Title : On the Effect of Iron on Colorimetric Determination of Cerium

Orig Pub : Zh. analit. khimii, 1956, 11, No 4, 419-422

Abstract : For a colorimetric determination of Ce<sup>4+</sup> was utilized ferroin, which on oxidative action of Ce<sup>4+</sup> with Fe<sup>3+</sup> yields an azure-colored complex. Into a 100 ml flask is poured, from a burette, a definite volume of Ce (SO<sub>4</sub>)<sub>2</sub> solution, an excess of 0.0025 M ferroin (10 drops) is added, the solution is brought up to 100 ml and subjected to colorimetry, in a photometer or photocolorimeter, using a yellow light filter. Determination of Ce<sup>4+</sup> is interfered with by all oxidizing agents having a normal potential above 1.14v (MnO<sub>4</sub><sup>-</sup>, Cr<sub>2</sub>O<sub>7</sub><sup>2-</sup>). Fe<sup>3+</sup>, although its potential is ~ 0.77v, still viciates the results of the determination. The distortion, in the opinion of the author, is due to formation of Ce<sup>4+</sup> and Fe<sup>3+</sup> complexes, at a ratio

Card 1/2

Inst. Steel, Moscow

✓1780. Microcrystalloscopic reaction for tin  
Sorabtsev Moscow Inst of Steel  
1967 07 1307

This can be carried out in the same way as the  
fluoride test with a 2% solution of tin(II) chloride  
in a 10% NaOH solution. The reaction is  
readily reversible. It is recommended that one  
examines the octahedral positions of tin(IV) ions  
that appear within 2 min. The minimum amount  
of tin detectable is 1.03  $\mu$ g in a 10 ml volume  
1 in  $2 \times 10^4$ . With  $\text{Na}^{+}$ , detection is even easier.  
necessary. No interference is caused by  
Mg, Ba, Ca, Sr, Fe<sup>2+</sup>, Fe<sup>3+</sup>, Zr, Al, Ti, V,  
Mn, Pb, Ag, Hg, Cu, Ni, Sn, As, Sb, As, V,  
A

. 18(6), 18(3)  
AUTHOR:

Korabel'nik, R. K.

SOV/163-59-1-48/50

TITLE: Influence of Iron Upon the Colorimetric Determination of Manganese  
(Vliyaniye zheleza na kolorimetricheskoye opredeleniya mangantsa)

PERIODICAL: Nauchnyye doklady vysshyey shkoly. Metallurgiya, 1959, Nr 1,  
pp 250-253 (USSR)

ABSTRACT: The errors occurring in the determination of several elements can  
in a number of cases be explained by the interaction between the  
element to be determined and the other constituents of the solution.  
In an earlier paper (Ref 1) the author showed that in the colori-  
metric determination of cerium (Ce) in steel the rectilinear course  
of the calibration curve is disturbed due to the formation of a  
complex compound of the quadrivalent cerium with a trivalent iron.  
In order to clarify the problem whether similar processes could  
also occur in the determination of other steel components a number  
of experiments bearing on the colorimetric determination of manganese  
were carried out. The method is based upon the intensity of color-  
ing when using manganese acid in the determination. The experiments  
showed that also in this case the presence of iron leads to a non-  
linear calibration curve, although the visible coloring of the  
manganese acid does not change due to the presence of iron. The

Card 1/2

SOV/165-59-1-48/50

Influence of Iron Upon the Colorimetric Determination of Manganese

shape of the curvilinear section of the curve depends on the amount of iron introduced. The experiments demonstrated that if the iron is bound to a more stable complex by means of phosphoric acid the formation of complex iron-manganese compounds is inhibited and thus the error in the colorimetric determination of manganese is eliminated. If a surplus of phosphoric acid is present there form complex compounds of manganese acid and of phosphoric acid. This promotes the stabilization of the permanganates of the ion in the solution and widens the scope of application of this method.- There are 5 figures and 9 references, 6 of which are Soviet.

ASSOCIATION: Moskovskiy institut stali  
(Moscow Steel Institute)

SUBMITTED: April 28, 1958

Card 2/2

KORABEL'NIK, R.K.

Effect of iron on the colorimetric determination of chromium.  
Izv.vys.ucheb.zav.; chern.met. no.3:189-192 '60.  
(MIRA 13:4)

1. Moskovskiy institut stali.  
(Chromium--Analysis) (Iron--Analysis)

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

KORABEL'NIK, R.K.

Effect of iron on the colorimetric determination of molybdenum.  
Izv. vys. ucheb. zav.; chern. met. 7 no.1:196-200 '64.  
(MIRA 17:2)

1. Moskovskiy institut stali i splavov.

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

KORABELNIK, M. D.

✓ Nitrocellulose etrol. U.S. Pat. No. 3,000,000  
I. I. Kuznetsova, and S. V. Mazur. U.S.S.R. No. 104,701. Pub.  
15 1957. Gas blank, lampblack, and a system made by adding  
to nitrocellulose etrol to increase its water resistance and  
elasticity. M. Hoch

GEL'FREYKH, V., arkitektor; KORABEL'NIKOV, A., arkitektor; GOLIBOVSKIY,  
L., arkitektor; GIL'MAN, Ya., inzh.

Design of an apartment house with rolled reinforced concrete  
components executed by the Institute for the Design and Planning  
of Housing and Civil Construction in the City of Moscow. Zhil.  
stroi. no. 4/5:38-42 '58. (MIRA 12:6)

(Apartment houses)  
(Architecture--Designs and plans)

L 05315-57 ENI(k)/EXP(h)/ENT(d)/ENT(v)/ENP(l)

ACC NR: AM6014908

Monograph

29 UR/

28

B+1

Korabel'nikov, Al'bert Aleksandrovich

Diesel units for hydrofoil boats (Dizel'nyye ustavki sudov na podvodnykh kryl'yakh) Leningrad, Izd-vo "Sudostroyeniye", 66. 156 p. illus., biblio. 3000 copies printed.

TOPIC TAGS: marine engineering, diesel engine, marine engine, engine performance characteristic, hydrofoil vessel

PURPOSE AND COVERAGE: This book is intended for personnel engaged in the design and operation of hydrofoil vessels. It may also be used by workers in scientific-research institutes and by students in middle and higher educational institutions. Particulars on the design and operation of main and auxiliary diesel engines on hydrofoil vessels are presented. Characteristics of main diesel engines, specific features of their operating conditions, and their performance on Soviet hydrofoil vessels are discussed. Data on diesel engine plants on Soviet and non-Soviet hydrofoil vessels are given.

Card 1/3

UDC 621.125.8. : 621.431.74:621.436.

J 05316-67  
ACC NR: AM6014908

TABLE OF CONTENTS:

Introduction -- 3

Basic symbols -- 4

Ch. I. Hydrofoil vessels—a special class of vessels

1. Specific features of hydrofoil vessels -- 5
2. Development of hydrofoil vessels -- 15
3. Engines on hydrofoil vessels -- 28

Ch. II. Main and auxiliary diesel engines on Soviet hydrofoil vessels

4. Design of main diesel engines -- 40
5. Operating conditions and characteristics of main diesel engines -- 63
6. Auxiliary diesel engines -- 80

Ch. III. Power plants on hydrofoil vessels

7. Some particulars of power plants on Soviet hydrofoil vessels -- 86
8. The power plant on the Raketa hydrofoil -- 88
9. The power plant on the Meteor hydrofoil -- 102
10. The power plant on the Strela hydrofoil -- 110

Card 2/3

L 1510-01

ACC NR: AMG014908

11. The power plant on the Sputnik hydrofoil -- 116
12. The power plant on the Chayka hydrofoil -- 121

Ch. IV. Operation of diesel engine plants on Soviet hydrofoil vessels

13. Performances of main engines on hydrofoil vessels -- 124
14. Maintenance and the control of main-engine operation -- 139
15. Operating defects and breakage of parts in main engines -- 146
16. Testing main engines -- 150

References -- 158

SUB CODE: "13/ SUBM DATE: 200ct65/ ORIG REF: 020/

HH

Card 3/3

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

PETUKHOV, SERGEY FEDOROVICH, slesar'-mekhanik, laureat Stalinskoy premii;  
KORABEL'NIKOV, I; VOZNESENSKIY, A.N., konsul'tant.

[High degree of precision] Vysokaiia tochnost'. Literaturnaia obrabotka  
I.Korabel'nikova. [Moskva] Profizdat, 1952. 60 p. (MLRA 6:5)  
(Clock and watch making--  
Machinery)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

1. KORAB KIV NOV, II.
2. USSR (600)
4. Drilling and Boring Machinery
7. Microdrilling tools. Tekh. svetod. 21 No. 3, 1953.

9. Monthly List of Russian Accessions, Library of Congress, June 1953, Unclassified.

KORABEL'NIKOV, A.A., inzh.

"Pimetr" pressure measuring instrument for internal combustion engine power determination. Trudy LIVT no.18:15-24 '61.(MIRA 14:9)  
(Pressure gauges) (Marine engines--Testing)

KORABEL'NIKOV, I.

Inventor Smirnov. Tekh.molod. 21 no.10:28-30 0 '53.  
(Smirnov, Nikolai Trofimovich) (Sewing machines)

(MLRA 6:10)

KORABEL'NIKOV, Il'ya.

Millions found. Tekh.mol. 22 no.6:17-18 Je '54. (MLRA 7:6)  
(Combines (Agricultural machinery))

KORABEL'NIKOV, Il'ya Aleksandrovich; KORNILOVA, M.I., red.; ANDREYEVA,  
L.S., tekhn. red.

[Thank you, doctor] Spasibo, doktor. Moskva, Profizdat, 1962.  
125 p. (MIRA 15:9)  
(Moscow--Automobile industry--Hygienic aspects)

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

KORABEL'NIKOV, I.

At the fish combine. Tekh.mol. 22 no.8:12-14 Ag '54. (MLRA 7:8)  
(Fishery products--Preservation)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

KORABEL'NIKOV, Il'ya

In defense of health resort patients. Sov. profsoiuzy 19  
no.22:32-34 D '63. (MIRA 17:1)

1. Spetsial'nyy korrespondent zhurnala "Sovetskiye profsoyuzy".

KORABEL'NIKOV, Il'ya,

In the First Medical Institute. Nauka i zhizn' 23 no.8:26-28  
Ag '56. (MIRA'9:9)  
(MOSCOW--RADIOLOGY, MEDICAL)

KORABEL'NIKOV, Il'ya.

Surgical instruments. Tekh.mol.24 no.8:33-37 Ag '56. (MLRA 9:9)  
(Surgical instruments and apparatus)

~~Il'ya~~ Korabel'nikov, Il'ya

PEACEFUL USES OF ATOMIC ENERGY: MEDICAL APPLICATIONS

"Atoms Bear Life", by Il'ya Korabel'nikov, Published by All-Union Central Council of Trade Unions, 1957, 144 pages 5" x 6 $\frac{1}{2}$ , 90,000 copies.

Fictionalized account of several phases of the activities of doctors who use isotopes for curative purposes at the First Moscow Medical Institute.

Card 1/1

KORABEL'NIKOV, Il'ya

By the very blue sea. Sov. profsoiuzy 17 no.16:39-40 Ag '61.  
(MIR 14:7)

1. Spetsial'nyy korrespondent zhurnala "Sovetskiye profsoyuzy",  
Sochi - Moskva.  
(Sochi--Sanatoriums) (Trade unions)

KORABEL'NIKOV, Il'ya (Dagestanskaya ASSR)

Writing for the sake of formality only. Sov.profsoiuzy 19  
no.3810-11 F '63. (MIRA 16:2)  
(Daghestan-Medicine, Maral)

KORABEL'NIKOV, I.D.

Korabel'nikov, I.D.

"Traumatic diaphragmatic hernia." Reviewed by Prof. A.T. Lidskiy Khirurgia No. 4, 1952.

Monthly List of Russian Accessions, Library of Congress, August 1952. UNCLASSIFIED.

KORIN, D.L.; KORABEL'NIKOV, I.D., professor, zavedmyushchiy; OBRAZTSOV, G.D., professor, direktor.

Technique of changing a catheter à demeure in superpubic vesical fistula.  
Vest.khir. 73 no.5:52-54 S-0 '53. (MLRA 6:11)

1. Jakul'tetskaya khirurgicheskaya klinika Chelyabinskogo meditsinskogo instituta. (Catheters) (Fistula)

KORABEL'NIKOV, I.D.

Contrast cystography in diagnosis of retroperitoneal hematomas.  
Vest.rent. i rad. no.2:91-93 Nr.Ap '55. (MLRA 8:5)

1. Iz fakul'tetskoy khirurgicheskoy kliniki (zav. --prof. I.Korabel'nikov). Chelyabinskogo meditsinskogo instituta (dir. --prof. G.D.Oboraztsov).

(ABDOMEN, hemorrhage,  
hematoma, retroperitoneal, diag., contrast cystography)  
(HEMATOMA,

retroperitoneal, diag., contrast cystography)  
(BLADDER, radiography,

diag. of retroperitoneal hematoma)

KORABEL'NIKOV, I. D.  
USSR/Medicine - Industrial

FD-2185

Card 1/1      Pub 102-5/15

Author : Korabel'nikov, I. D., Professor

Title : Concerning employment of partially disabled who require surgical treatment

Periodical : Sov, zdrav., 3, 21-25, May-June, 1955

Abstract : It is extremely important that services of partially disabled workers be rationally utilized. In recommending any individual for limited duty the examining physician must indicate what type of work he can do and what kind of working conditions may or may not be harmful. Assignment of partially disabled workers to work in other than usual occupation may be considered another method of treatment and can be more beneficial than mechanotherapy. Physicians must be careful not to assign partially disabled workers to a shop where conditions would prolong the period of recovery. In order to avoid errors physicians must know well the industry in which the patient is employed. Since it is unreasonable to demand that physicians in large industrial establishments be familiar with operations of all divisions, the management of each division and the trade unions must cooperate fully with medical personnel. One table.

Institution : Faculty Surgical Clinic, Chelyabinsk Medical Institute (Prof. G. D. Obraztsov, Director)

Submitted : February 8, 1955

KORABEL'NIKOV, I.D., prof. (Chelyabinsk)

Clarification of the term goiter. Probl.endok. i gorm. 4:125-126  
Ja-7'58

(GOITER,  
classif. (Rus))

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

KORABEL'NIKOV, I.D., prof.; SOKOLOV, M.I.

One thousand resections of the stomach with a single-row suture.  
Khirurgiia 35 no.7:128-132 Jl '59. (MIRA 12:12)

1. Iz fakul'tetskoy khirurgicheskoy kliniki (zav. - prof. I.D. Korabel'nikov) Chelyabinskogo meditsinskogo instituta i khirurgicheskogo  
otdeleniya bol'niyat (glavnnyy khirurg M.I. Sokolov) g. Zlatoust. (GASTRECTOMY)

KORABEL'NIKOV, I.D., prof.

Surgical approach in splenectomy. Khirurgia 36 no.12:34-36  
1960. (MIRA 14:1)

1. Iz fakul'tetskoy khirurgicheskoy kliniki (zav. - prof. I.D.  
Korabel'nikov) Chelyabinskogo meditsinskogo instituta.  
(SPLEEN—SURGERY)

KORABEL'NIKOV, Il'ya (Dagestanskaya ASSR)

Contrasts. Sov.profsciuz 18 no.10:10-12 My '62. (MIRA 15:5)  
(DAGHESTAN--MEDICINE, RURAL)

KORABEL'NIKOV, I.D., prof. ; SHAROV, B.K. (Chelyabinsk)

Review of E.Bernard and B.Gamain's book "Clinical broncho-

graphy". Vest. rent. i rad. 38 no.1: 81-83 Ja-<sup>9</sup>63.

(MIRA 16:10)

30(1)

AUTHOR: Korabel'nikov, L.V. SOV/26-59-3-22/47  
TITLE: The Diet of Sperm Whales in Antarctic Seas  
PERIODICAL: Priroda, 1959, Nr 3, pp 103-104 (USSR)  
ABSTRACT: The author's observations were made during the 11th voyage of the Antarctic Whale Fishing Flotilla "Slava" in 1957. The contents of 129 sperm whale stomachs were studied and interesting data on their diet obtained. Rare specimen of giant cephalopods and fishes were discovered, and in one stomach large crustaceas. Most important for the nutrition of sperm whales in the Antarctic are the Gephalopoda molluscs - Teuthoidea, prevailing mainly in the northern part of the Antarctic seas. In search for food, the sperm whales dive to a depth of 1,000 m where they find some rather rare fishes, which were traced in the whales' stomachs. On 14 out of 129 sperm whales, the stomachs were found to be empty. The article

Card 1/2

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-

SOV/26-59-3-22/47

The Diet of Sperm Whales in Antarctic Seas

contains detailed information on the various fishes found in the stomachs. The names of I.I. Akimushkin and Professor T.S. Rass are mentioned in connection with determining the kind of fishes traced. There are 5 photographs, 1 Soviet and 1 English.

ASSOCIATION: Kitoboynaya flotiliya "Slava" (Whale Fishing Flotilla "Slava")

Card 2/2

GEODEKLYAN, Artem Aramovich; DENISEVICH, Vladimir Vladimirovich;  
ANTSIFOROV, Aleksandr Ivanovich; BORSHCHEVSKIY, Gol'dfrid  
Adol'fovich; VIKTOROV, Dmitriy Nikolayevich; NIKOLENKO,  
Vladimir Antonovich; STROGANOV, Vladimir Aleksandrovich;  
ULIZLO, Boris Mikhaylovich; USHKO, Konstantin Aleksandrovich;  
Prinimali uchastiye: DZHIBUTI, S.S.; DOBROV, Yu.V.; KORABEL'NIKOV,  
M.A.; SAMSONOV, L.G.; SABBATOVSKIY, G.A.; CHERNYSHEVA, A.A.;  
SHNEYDER, G.F.; BROD, I.O., otv.red.; PERSHINA, Ye.G., red.izd.-va;  
KOVAL'SKAYA, I.F., tekhn.red.

[Geology and oil and gas potentials of uplifts in the Balkhan  
region] Geologicheskoe stroenie i neftegazonosnost' Pribalkhanskoi  
zony podniatii. Moskva, Izd-vo Akad.nauk SSSR, 1960. 107 p.

(MIRA 14:2)

(Balkhan Range--Petroleum geology)  
(Balkhan Range--Gas, Natural--Geology)

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

KORABEL'NIKOV, M.B.

TARANETS, M.P.; MATVYEV, Ye.P.; KORABEL'NIKOV, M.B.; PARAMONOV, I.N.

Using organomineral mixtures for potatoes on the "Progress"  
State Farm. Zemelodelie 5 no.4:47-49 Ap '57. (MLRA 10:6)  
(Penza Province--Potatoes) (Fertilizers and manures)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7

PARAMONOV, N.S.; KORABEL'NIKOV, N., red.; PARINOV, B., tekhn.red.

[Short description of fuel and lubrication systems] Krat-koe opisanie toplivo- i maslozapravochnykh sredstv. Maikov, Adygeiskoe knizhnoe izd-vo, 1963. 71 p. (MIRA 17:3)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000824530002-7"

Country : USSR

Category: Cultivated Plants. Potatoes. Vegetables.  
Cucurbits.

M

Abs Jour: RZhBiol., No 22, 1958, No 100315

Author : Korabel'nikov, P.

Inst :

Title : Growing Cucumbers in the South of Kirghizia.

Orig Pub: S.kh. Kirgizii, 1958, No 1, 34-36

**Abstract:** The late maturing cucumber variety Donskoy 175 has been adapted regionally in Oshskaya Oblast' since 1957. According to the data of Uch-Korgonskiy Variety Testing Station, in comparison with the regionally adapted varieties Ryabchik 357/4 and Nezhinskiy, it is less affected by powdery mildew, less

Card : 1/2

M-70

Country : USSR

Category: Cultivated Plants. Potatoes. Vegetables.  
Cucurbits.

M

APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000824530002-

Abs Jour: RZhBiol., No 22, 1958, No 100315

injured by pests and is responsive to additional dressings with nutrients and to irrigation. The fruits are normally developed; the average weight is 113 grams; it has good flavor attributes both in fresh and pickled form. During the three years of trials, it produced on an average 260.9 centners/ha of fruits; Ryabchik - 178.3 and Nezhinskiy 187.4 centners/ha. -- M.V. Dranishnikov

Card : 2/2

PANFEROV, K.V.; KORABEL'NIKOV, Yu.G.; CHAPSKIY, K.A.

Deformation of plastics in a tensile test as a motion component of the mobile clamp of a testing machine. Zav. lab. 27 no.6:747-750 '61. (MIRA 14:6)

1. Tsentral'nyy nauchno-issledovatel'skiy institut stroytel'nykh knestruktsiy.

(Plastics--Testing)